

# T 8 S - R 2 W 2<sup>nd</sup> Mer



Meander 335

# T 1 S - R 3 W 2<sup>nd</sup> Mer.

6	364	5	365	4	366	3	367	2	366	1	347
363		364		365		367		367		368	
7	363	8	364	9	365	10	366	11	366	12	347
363		362-363		362-363		362		361		361	
18	359	17	362	16	362	15	361	14	360	13	347
358		360		360		359		359		359	
19	358	20	357	21	357	22	356	23	356	24	347
355		358		355		357		356		355	
30	355	29	354	28	354	27	354	26	353	25	348
353		353		353		352		352		352	
31	351	32	351	33	351	34	350	35	350	36	348
350		349		349		349		349		348	

Township 1<sup>st</sup>. South Range 1<sup>st</sup> 3. West of the Mer.

### East Boundary

Commenced Surveying at The S. E. corner of Township 1<sup>st</sup>  
1. 1<sup>st</sup> Base line. S. E. corner of Town 1<sup>st</sup> 1. S. of Base line  
in Range 1<sup>st</sup> 3. Lincoln Survey.

- South Meridian line East Boundary of Twp. No. 1. Tenn. N. 1. R. 3.  
19. 00 A Creek 40 links wide, Course W.  
41. 00 Set of. Sec. post where a Birch 24 in? diam? bears W.  
16. S. 2<sup>nd</sup> 12 in? diam? bears S. 45. E. 23. links, dist?  
Land hilly Birch timber.  
43. 50 A Drain 10 links wide, Course S. 15. E.  
51. 00 Set Post Corner of Twp. 1. S. 12. T. 1. S. R. 3. W. where  
a Sugar 12 in? diam? bears S. 1. W. E. 16 in? diam? bears  
S. 13. E. 13. links - good soil of Birch hill land some Sugar Oak

- South Range line of E. Boundary of Twp. 12. T. 1. S. R. 3.  
46. 00 Set of. Sec. post where a W. Oak 24 in? diam? bears  
S. 13. W. 15. links. A Sugar 16 in? diam? bears S. 9. W. 13. links.  
44. 00 A Drain 4 links wide, Course W.  
56. 00 Set Post Corner of Twp. 12. S. 13. T. 1. S. R. 3. where  
a Birch 14 in? diam? bears S. 15. W. 15 links. A Cucumber  
6 in? diam? bears S. 15 E. 16 links. Hilly broken land,  
Birch & Oak timber.

- South Range line E Boundary of Twp. 13. T. 1. S. R. 3.  
39. 00 A Creek 100 links wide, Course N. W.  
46. 00 Set of. Sec. post where an Elm 14 in? diam? bears S.  
37. E. 50 links. A Birch 24 in? diam? bears N. 78. W. 22  
links, dist?  
76. 00 Cropping a Run several times, Course N. E.  
86. 00 Set Post Corner of Twp. 13. S. 14 where a Birch 30 in?  
diam? bears S. 81 E. 41. links. S. 13 in? diam? bears  
N. 80. W. 30 links - level Birch land good soil, timber, Birch, Oak

- South Range line E. Boundary of Twp. 24. T. 1. R. 3. S.  
46. 00 Set of. Sec. post where a Birch 10 in? diam? bears S.  
13. W. 25 links. S. 16 in? diam? bears N. 26. E. 13, links, dist?

T. No 1. S. R. No 3. W. 2<sup>nd</sup> Mer

50. 00	Put Post Corner of Secs 24. & 25 T. 1. R. 3. S. where a White Oak 16 in <sup>d</sup> diam <sup>r</sup> bears N. 15. W. 20 links S. 32. E. 16. links. Wholly land with rocky points Timber, Birch, Oak, &c.
South	Range line East Boundary of Sec. 25. T. 1. R. 3. S.
40. 00	Set of Sec. Post where a W. Oak 28, in <sup>d</sup> diam <sup>r</sup> bears N. 22 W. 27. links. A Birch 16 in <sup>d</sup> diam <sup>r</sup> bears S. 53. W. 43. links
42. 50	A Chain 4. links wide, course W.
50. 00	Put Post Corner of Secs. 25 & 36. T. 1. S. R. 3. W. where a Birch 11 in <sup>d</sup> diam <sup>r</sup> bears N. 47. E. 17. links S. 7 in <sup>d</sup> diam <sup>r</sup> bears W. 9. links, This mile, dry hill land, timber Birch, Oak.
South	Range line E. Boundary of Sec. 36. T. 1. R. 3. S.
40. 00	Set of Sec. Post where a W. Oak 18 in <sup>d</sup> diam <sup>r</sup> bears N. 17. W. 30 links. A B. Oak 16 in <sup>d</sup> diam <sup>r</sup> bears S. 23. E. 24. links,
73. 00	A Brook 10 links wide, course W.
80. 00	Put Post Corner of T. 1. & 2. Ranges 2. & 3. S. where a Birch 10 in <sup>d</sup> diam <sup>r</sup> bears S. 73. W. 16. links. A W. Oak 20 in <sup>d</sup> diam <sup>r</sup> bears S. 6. E. 16. links
<b>South Boundary</b>	
West	Town line S. Boundary of Sec. 36. T. 1. R. 3. S.
12. 00	Birch land to bottom.
20. 00	A Brook 50 links wide, course N.
35. 00	Birch bottom. good soil.
40. 00	Set of Sec. Post where a Sugar tree 12 in <sup>d</sup> diam <sup>r</sup> bears N. 25 E. 8. links. S. 8 in <sup>d</sup> diam <sup>r</sup> bears S. 25. W. 18. links.
80. 00	Set Post Corner to Secs 35 & 36. T. 1. R. 3. S. where a W. Oak 16 in <sup>d</sup> diam <sup>r</sup> bears N. 11. W. 31. links S. 10 in <sup>d</sup> diam <sup>r</sup> bears W. 39 links. Good soil. Hill land. Timber Birch, Sugar. Oak, &c.
North	Between Secs 35. & 36. T. 1. S. R. No 3.
7. 53	A White Oak 24 in <sup>d</sup> diam <sup>r</sup> <del>Corrected.</del>
40. 00	Set of Sec. Post where a W. Oak 18 in <sup>d</sup> diam <sup>r</sup> bears S. 83. W. 31. links A B. Oak 20 in <sup>d</sup> diam <sup>r</sup> bears S. 88. E. 42. links.

68. 68 A W. Oak 33 in? diam?  
 74. 80 A W. Oak 20 in? diam?  
 80. 00 Set Post Corner of Sec. 25 & 26 T. 1. R. 3. N. 3. where a Maple  
 14 in? diam? bears S. 6. E. 20 links A Gum 16 in? diam?  
 bears N. 33. W. 47. links. Good soil of hill land Timber  
 Oak Poplar Sugar &c.

West Turned Boundary of Sec. 35. T. 1. R. 3. N. 3.  
 40. 00 Put half Sec. post. where a W. Oak 10 in? diam? bears S.  
 53. W. 15 links. S. 8 in? diam? bears N. 32. E. 23. links.  
 50. 50 A Run 16 links wide, Course N. W. Oak land.  
 80. 00 Put Post Corner of Sec. 34 & 35. T. 1. R. 3. N. 3. where a  
 Gum 14 in? diam? bears S. 6. 7. E. 15 links. S. 8 in? diam?  
 bears N. 53. W. 14. links. Land hilly. Timber, Oak & Hickory, &c.  
 Oct. 18. 18. 1. 1.

West Town line South Boundary of Sec. 34 T. 1. R. 3. N. 3.  
 32. 50 A Run 16 links wide, Course N.  
 40. 00 Put half Sec. post where a B. Oak 20 in? diam? bears  
 N. 12. W. 14. links, S. 22 in? diam? bears S. 32 E. 21 links,  
 80. 00 Set Post Corner of Sec. 33 & 34. T. 1. R. 3. N. 3. where  
 a White Oak 10 in? diam? bears N. 59. E. 13. links S. 20  
 in? diam? bears S. 31. W. 32 links. Rough hill land,  
 Timber, Oak, Hickory, & Dogwood.

West Town line S. Boundary of Sec. 33 T. 1. R. 3. N. 3.  
 35. 50 A Birch 7 links wide, Course S.  
 40. 00 Set half Sec. post where a W. Oak 18 in? diam? bears  
 N. 56. W. 13. links, A Birch 12 in? diam? bears S. 75. E. 31. links  
 60. 00 A Small Drain, Course S.  
 80. 00 Set Post Corner of Sec. 32 & 33 T. 1. R. 3. N. 3. where a  
 Sugar 14 in? diam? bears N. 71. W. 22 links. S. 10 in? diam?  
 bears S. 41. E. 9. links, Land level. Good soil. Timber,  
 Oak, Birch, Sugar, &c.

West Town line S. Boundary of Sec. 32 T. 1. R. 3. N. 3.  
 40. 00 Level land. Put half mile post. where a Birch 12 in?



T. No 1. T. No 3. W. 2<sup>nd</sup> Mer

	diame. bears S. 78. E. 20 links. L <sup>o</sup> . 18 in? diame. bears e. 28. links. dist <sup>o</sup>
40. 50	A Brook 10 links wide, Course S.
80. 60	1 <sup>st</sup> Post Corner of Sec. 31. & 32. T. 1. R. No 3. S. where a W. Oak 18 in? diame. bears S. 23. W. 22. links. dist. A B. Oak 24 in? diame. bears e. 31. E. 48 links. Timber, Oak, Birch, & Hickory. &c. Land hilly?
West	Town line South Boundary of Sec 31. T. 1. R. No 3.
36. 60	A Brook 10 links wide, Course S. 20. E.
77. 60	A Brook 10. links wide, Course S.
79. 67	Intersects Range line 70 links S. of Town corner. where a Sugar-tree 10 in? diame. bears S. 8. E. 27. links. A Hickory 10 in? diame. bears e. 37. W. 5 links. Milling soil of hill land. Timber - Oak, Sugar tree. Beech &c.
	1 <sup>st</sup> of Sec. Post on S. Boundary of Sec. 31. T. 1. R. No 3. where a Gum 16 in? diame. bears S. 7 E. 29 links. A Beech 16 in? diame. bears S. 67. W. 20. links. dist <sup>o</sup>
For the N. W. boundaries - See the boundaries of the Townships N & W	
Subdivisions.	
North	Between Secs 35. & 36. T. 1. R. No 3 E.
7. 83	A White Oak 24 in? diame.
40. 60	1 <sup>st</sup> Quarter Sec. post where a W. Oak 18 in? diame. bears S. 83. W. 31, links A B. Oak, 20 in? diame. bears S. 88. E. 42.
68. 68	A W. Oak 33 in? diame.
74. 80	A W. Oak 26 in? diame.
80. 00	1 <sup>st</sup> Post Corner of Secs 25. & 26. 3. 5 & 36 where a Maple 14 in? diame. bears S. 6. E. 20. links A Gum 16 in? diame. bears e. 33. W. 47. links Good soil of hill land. Timber, Oak, Poplar, Sugar, &c.
North	Between Secs 34. & 35. T. 1. R. No 3. S.
29. 66	A B. Oak 20 in? diame.
35. 66	A W. Oak 30 in? diame.
40. 60	1 <sup>st</sup> Quarter Sec. post where a Poplar 22 in? diame. bears

47. 56 G. 13. W. 21. links. a Logwood 4 in<sup>2</sup> diam<sup>r</sup>. bears A. 6. E. 12.  
 64. 11 A Birch 7 links wide, course A. 26. W.  
 73. 61 A W. Oak 36 in<sup>2</sup> diam<sup>r</sup>.  
 81. 61 A Gum 3 links wide, course. E. 6.  
 81. 61 1st Post Corner of Sec<sup>s</sup> 26 & 27. 34. 35. T. A. S. R. S.  
 where a Birch 12 in<sup>2</sup> diam<sup>r</sup>. bears A. 39. W. 21. links.  
 L<sup>o</sup> 12 in<sup>2</sup> diam<sup>r</sup>. bears G. 33. E. 13 links. Land hilly-  
 Timber, Oak, Hickory, & Logwood.

North Between Sec<sup>s</sup> 33. & 34. T. A. S. R. S.  
 7. 61 Top of dividing ridge  
 23. 56 A Gum 16 in<sup>2</sup> diam<sup>r</sup>.  
 30. 60 W. Oak, Hill land good soil.  
 40. 61 1st Q<sup>r</sup>. Sec<sup>s</sup> post where a W. Oak 13 in<sup>2</sup> diam<sup>r</sup>. bears -  
 G. 43. E. 38. links L<sup>o</sup> 14 in<sup>2</sup> diam<sup>r</sup>. bears A. 30. W. 27. links  
 80. 60 1st Post Corner of Sec<sup>s</sup> 27. & 28. 33. 34. T. A. S. R. S. W.  
 where a W. Oak 9 in<sup>2</sup> diam<sup>r</sup>. bears G. 48. E. 27. links.  
 L<sup>o</sup> 16 in<sup>2</sup> diam<sup>r</sup>. bears A. 23. W. 16 links. dist.  
 Timber killed by fire - Brush very thick.

North Between Sec<sup>s</sup> 32. & 33. T. A. S. R. A. S.  
 14. 37 A Birch 14 in<sup>2</sup> diam<sup>r</sup>.  
 40. 61 1st Q<sup>r</sup>. Sec<sup>s</sup> post where a Birch 12 in<sup>2</sup> diam<sup>r</sup>. bears G. 73.  
 W. 26 links. L<sup>o</sup> 13 in<sup>2</sup> diam<sup>r</sup>. bears A. 88. E. 17. links. dist.  
 41. 60 A Brook 6 links wide, course G. 10. W.  
 41. 83 A Poplar 22 in<sup>2</sup> diam<sup>r</sup>.  
 53. 94 A Sugar tree 16 in<sup>2</sup> diam<sup>r</sup>.  
 80. 60 1st Post Corner of Sec<sup>s</sup> 28. 29. 32. 33. T. A. S. R. A. S. S.  
 where a W. Oak 36 in<sup>2</sup> diam<sup>r</sup>. bears A. 82. W. 17. links. dist.  
 A B. Oak 26 in<sup>2</sup> diam<sup>r</sup>. bears G. 33. E. 25. links. - Good Soil  
 of hill land. - Timber - Birch - Oak. Sugar tree, &c.

North Between Sec<sup>s</sup> 31. & 32. T. A. S. R. A. S. S.  
 12. 24 A W. Oak 18 in<sup>2</sup> diam<sup>r</sup>.  
 40. 60 1st Q<sup>r</sup>. Sec<sup>s</sup> post a W. Oak 11 in<sup>2</sup> diam<sup>r</sup>. bears G. 13. E. 14. links.  
 L<sup>o</sup> 10 in<sup>2</sup> diam<sup>r</sup>. bears A. 57. E. 29. links. dist.

T. N. S. R. No 3. W. 2<sup>nd</sup> Mer.

47. 52	A W. Oak 14 in <sup>d</sup> diam <sup>r</sup>
51. 00	Set Post Corner of Sec <sup>s</sup> 29. 30. 31. 32. where a Birch 14 in <sup>d</sup> diam <sup>r</sup> bears N. 72, E. 21. links. A W. Oak 14 in <sup>d</sup> diam <sup>r</sup> bears N. 57. W. 11. links. - W. Oak land, Soil good for wheat. much grain trees undugrowth.
East	A Random line between Sec <sup>s</sup> 25. & 36. T. N. S. R. No 3.
40. 00	Land hilly thin soil, Birch timber.
45. 00	A brook 50 links wide, course N. 10. E. Birch bottom.
55. 00	A Brook 7 links wide, Course N. 70 W
79. 20	Intersects 20 links. S. of Post corner of Sec <sup>s</sup> 25. & 36. T. N. S. R. - Thin Soil - Birch hill land. Oct. 19 <sup>th</sup> . 18. 04.
	Corrected the line 25. & 36. T. N. S. R. No 3. put half Sec post where a Birch 16 in <sup>d</sup> diam <sup>r</sup> bears S. 31. W. 25 links A Maple 16 in <sup>d</sup> diam <sup>r</sup> bears N. 55. E. 43. links. dist <sup>5</sup>
East	Between Sec <sup>s</sup> 26. & 35. T. N. S. R. No 3. S.
61. 00	A Brook 20 links wide, course N.
79. 90	Intersected A. & S. line 15 links, S. of Post Corner to Sec <sup>s</sup> 25. & 26. 35. & 36. This mile hilly middling Soil, - Timber. Oak. Birch. &c.
	Corrected the line between Sec <sup>s</sup> 26. & 35. T. N. S. R. No 3. Put half Sec. post where a Gum 14 in <sup>d</sup> diam <sup>r</sup> bears S. 11. W. 36. links. A W. Oak 12 in <sup>d</sup> diam <sup>r</sup> N. 32 E. 5 links.
East	A Random line between Sec <sup>s</sup> 27. & 34. T. N. S. R. No 3. S.
46 00	A Brook 10. links wide, course S. 80. E.
77. 00	crossed the forks of a brook, 30. links course N.
79. 60	Intersected A. & S. line 21 links N. of Post Corner of Sec <sup>s</sup> 26. 27. 34. & 35 T. N. S. R. No 3. W This mile level good soil. Timber - Birch. Oak. &c.
	Corrected the line between 27. & 34. T. N. S. R. No 3. S. put half Sec post where a B. Oak 4 in <sup>d</sup> diam <sup>r</sup> bears N.

	81. E. 25 links. A Hickory 4 in. diam. bears N. 24. W. 5 links
West	Between Sec. 28. & 33. T. N. 1. R. No 3. S.
28. 00	A Brook 12 links wide, Course N. Timber killed by fire.
79. 90	Full 3 links S. of Post. Corner Sec. 28. 29. & 32. 33. Good Soil of hill land. Timber - Oak, Poplar &c.
	Connected the line between 28. & 33. T. N. 1. R. No 3. S. Put half Sec. post where a Sugar tree 12 in. diam. bears S. 14. E. 14 links. A 12 in. diam. bears N. 28. E. 25 links. dist.
West	Between Sec. 29. & 32. T. N. 1. R. No 3. S.
61. 50	A Drain 4 links wide, Course N.
79. 30	Intersected A. & S line 22 links N. of Post Corner of Sec. 29. 30. 31. 32. Land hilly midling Soil. Timber, Oak, Birch, Hickory, &c.
	Connected the line between Sec. 29. & 32. T. N. 1. R. No 3. S. Put half Sec. post where a Gum 12 in. diam. bears S. 23. W. 26 links A. W. Oak 14 in. diam. bears N. 70. E. 26 links.
West	Between Sec. 30. & 31. T. N. 1. R. No 3. S.
40. 00	Put half Sec. post where a W. Oak 16 in. diam. bears S. 69. W. 37 links. B. Oak 18 in. diam. S. 50. E. 37 links.
79. 95	Intersecting Range line 20 links N. of Post. Corner of Sec. 30. & 31. T. N. 1. R. No 3. Put Post Corner of Sec. 30. & 31. T. N. 1. R. No 3. where a Gum 17 in. diam. bears N. 56. W. 31 links. A Birch 12 in. diam. bears N. 55. E. 27 links. Midling Soil of hill land. Timber, Birch, Oak, &c.
North	Between Sec. 25. & 26. T. N. 1. R. No 3. S.
40 00	Put Op. Sec. post. where a Birch 12 in. diam. bears S. 35. E. 27 links. A 14 in. diam. bears N. 53. W. 24 links.
50. 00	A Brook 60 links wide, Course N. W.
58 50	A Birch 20 in. diam.



T. 1. S. R. N. 3. W. 2<sup>nd</sup>. Mer.

69. 11 Birch hill land.  
 77. 47 A Poplar 28 in? diam?  
 80. 01 Set Post Corner of Sec? 23. 24. 25. 26. T. 1 R. 3 S.  
 where a Birch 12 in? diam? bears S. 26. W. 10. links.  
 A Sugar tree 14 in? diam? bears N. 87. E. 19. links.  
 Good hill land. Timber, Oak, Birch, & much killed by fire  
 burns &c.

North Between Sec? 26 & 27. T. 1. R. 3. S.  
 9. 01 A creek 30 links wide, Course S. E.  
 16. 97 A W. Oak 20 in? diam?  
 33. 70 A. Birch 7 links wide, Course E.  
 40. 01 Set Quarter Sec. post where a W. Oak 10 in? diam?  
 bears S. 33. E. 22 links. A Birch 6 in? diam? bears N.  
 74. W. 6 links.  
 59. 01 Strip ledge of Rocks  
 67. 29 A W. Oak 23 in? diam?  
 80. 00 Set post corner of Sec? 22. 23. 26. 27. T. 1. R. 3. S.  
 where a Birch 10 in? diam? bears S. 9. E. 2. links. L. 10  
 in? diam? A. 26. W. 15. links. Good soil of hill land  
 Timber - Birch. Oak. &c.

North Between Sec? 27 & 28. T. 1. S. R. 3. W.  
 40. 01 Set Qr. Sec. post where a W. Oak 24 in? diam? bears  
 S. 47. E. 29. links. A W. Oak 20 in? diam? bears N. 10 E. 19.  
 55. 87 A W. Oak 40 in? diam?  
 65. 01 A Run 3 links wide, Course W.  
 76. 86 A. B. Oak 20 in? diam?  
 80. 01 Set Post Corner of Sec? 24. 22. 27. 28. T. 1 R. 3. S.  
 where a W. Oak 13 in? diam? bears S. 74. E. 13. links  
 L. 12 in? diam? bears N. 64. W. 41. links.  
 Hilly broken land Timber. killed by fire.

North Between Sec? 28. & 29. T. 1. R. 3. S.  
 40. 01 Set Qr. Sec. post where a W. Oak 24 in? diam? bears  
 S. 35. W. 22. links L. 16 in? diam? bears N. 6. 7 E. 17. links



T. A. G. R. No. 3. W. 2<sup>nd</sup>. Mer.

48. 50 A. W. Oak 32 in<sup>d</sup> diam<sup>t</sup>  
 78. 25 A. W. Oak 18 in<sup>d</sup> diam<sup>t</sup>  
 80. Get Post corner of Sec<sup>s</sup> 28. 29. 20. 21. where a W. Oak  
 16 in<sup>d</sup> diam<sup>t</sup> bears N. 15, E. 31, links. No 14, in<sup>d</sup> diam<sup>t</sup>  
 bears N. 61. W. 31, links. High W. Oak land. Timber  
 killed by fire. October 26<sup>th</sup>. 18. 64.

North Between Sec<sup>s</sup> 29. & 30. T. A. R. 3. G.  
 46. 00 Get Quarter Sec. post where a W. Oak 14, in<sup>d</sup> diam<sup>t</sup> bears  
 N. 76. E. 41, links. A W. Oak 10 in<sup>d</sup> diam<sup>t</sup> bears N. 28. W. 26.  
 66. 89 A W. Oak 20 in<sup>d</sup> diam<sup>t</sup>. { 78. 75 } A Poplar 40, in<sup>d</sup> diam<sup>t</sup>  
 80. 00 Get post corner of Sec<sup>s</sup> 19. 20. 29. 30. T. A. R. 3. G. where  
 a Birch 26 in<sup>d</sup> diam<sup>t</sup> bears G. 80. E. 11, links. A W. Oak 12,  
 in<sup>d</sup> diam<sup>t</sup> bears G. 65, W. 41, links. Good soil of hill land  
 Timber, Oak, Birch. &c.

West Between Sec<sup>s</sup> 19. & 30. T. A. G. R. 3. W.  
 40. 00 Get half Sec. post where a Hickory 4 in<sup>d</sup> diam<sup>t</sup> bears N.  
 9. W. 41. links. Jack Oak 4, in<sup>d</sup> diam<sup>t</sup> bears G. 8. W. 6. links  
 75. 00 Poor hilly land Barshy &c.  
 79. 73 Intersected Range line 40 links N. of Post. in 1<sup>st</sup> Range.  
 Get Post corner of Sec<sup>s</sup> 19. & 30. T. A. R. 3. G. where a  
 Sugar 12 in<sup>d</sup> diam<sup>t</sup> bears N. 60. W. 7. links. No. 22, in<sup>d</sup> diam<sup>t</sup>  
 bears G. 60, E. 26, links. Good soil. Timber Birch Sugar &c.

West Between Sec<sup>s</sup> 21. & 28. T. A. R. 3. G.  
 65. 50 A. Brook 35 links wide, course N.  
 79. 83 Hit post corner of Sec<sup>s</sup> 20. 21. 28. 29. Land hilly.  
 Soil of a middling quality. Timber Oak Hickory & Birch.

Corrected the line between Sec<sup>s</sup> 21. & 28. T. A. R. 3. G.  
 Put half Sec. post where a Birch 16, in<sup>d</sup> diam<sup>t</sup> bears G.  
 60. W. 24 links. A Gum 17, in<sup>d</sup> diam<sup>t</sup> bears S. 30. E. 22, links.

East Random line between Sec<sup>s</sup> 24. & 25. T. A. R. 3. G.  
 51. 50 A. Brook 10 links wide, course G.

T. 4<sup>th</sup> S. R. No 3. W 2<sup>nd</sup> Mer.

79. 35	Intersected Range line 15 links E. of Post Corner of Sec? 24. & 25. T. 1. R. 3. G. Land hilly with some rocky points — Timber, Birch, Oak, &c.
	Connected the line Between Sec? 24. & 25. T. 1. R. 3. G. Put half Sec. post where a Birch 16 in? diam? bears G. 30. W. 9. links. Sec? 7 in? diam? bears N. 33. E. 5. links.
East	A Random line between Sec? 23. & 26. T. 1. R. 3. F.
30. 00	Birch hill land.
50. 00	A brook 50 links wide, course N.
62. 00	Flat Birch bottoms.
79. 50	To Post Corner of Sec? 23. 24. 25. 26. Good hill land — Timber — Birch. Gum. &c.
	Connected the line between Sec? 23. & 26. T. 1. R. 3. S. Put half Sec. post where a Birch 15 in? diam? bears G. 43. E. 14. links. Sec? 16 in? diam? bears N. 15. W. 22. links
North	Between Sec? 23. & 24. T. 1. R. 3. S.
9. 76	A Birch 16 in? diam?
34. 00	A Brook 12 links wide, course W.
40. 00	1 <sup>st</sup> Quarter Sec post where a Birch 10 in? diam? bears G. 7. W. 24. links. A W. Oak 20 in? diam? bears G. 9. W. 14. links
57. 66	A Sugar 10 in? diam?
80. 00	1 <sup>st</sup> Post Corner of Sec? 23. 24. 25. 26. T. 1. R. 3. G. where an Elm 7 in? diam? bears N. 34. W. 7. links A Sugar 14 in? diam? bears G. 1. link. Good hill land, Timber, Birch, Oak, Sugar tree, &c.
North	Between Sec? 22. & 23. T. 1. R. 3. G.
22. 88	A W. Oak 18 in? diam?
32. 86	A W. Oak 24 in? diam?
46. 00	1 <sup>st</sup> Q <sup>r</sup> . Sec. post where a W. Oak 24 in? diam? bears N. 85. W. 9. links A Birch 11 in? diam? bears N. 75. E. 14. links
52. 85	A Birch 20 in? diam?

J. No. 1. J. R. No. 3. W. 2<sup>nd</sup> & N. R.

80. 00 Set Post Corner of Sec. 14. 15. 22. 23. where a Birch  
17 in. diam. bears N. 73. E. 36. links. N. 14. in. diam.  
bears S. 73. W. 8. links. Land hilly midling soil.  
Timber, Birch, Oak, & Dogwood, &c.
- 
- East A Random line Between 22. & 27. J. 1. R. 3. J.  
79. 96 Intersectors N. & S. line 15 links N. of Post Corner of Sec.  
22. 23. (26. 27. This mile flat dividing ridge midling  
soil. Timber, Oak, Hickory, Dogwood, &c.
- 
- Corrected the line between Sec. 22. & 27. J. 1. R. 3. W.  
But half Sec. where a Sugar tree 13. in. diam. bears S. 65.  
W. 22. links. a Dogwood 5. in. diam. bears N. 47. E. 16. links
- 
- North Between Sec. 21. & 22. J. 1. R. 3. J.  
23. 21 A W. Oak 38 in. diam.  
28. 00 A Brook 10 links wide, Course N. W.  
35. 32 A Birch 14 in. diam.  
40. 00 Set Quarter Sec. post where a Gum 14 in. diam. bears  
S. 79. E. 19. links & W. Oak 14 in. diam. bears N. 31. W. 24. links  
59. 50 A Brook 8 links wide, Course W.  
65. 30 A W. Oak 16 in. diam.  
78. 50 A Brook 10 links wide, Course S. W.  
80. 00 Set Post Corner of Sec. 15. 16. 21. 22. where a Sugar 11,  
in. diam. bears S. 35. E. 16. links & Birch 12, in. diam.  
bears N. 37. W. 18. links. Moderate hills midling soil  
Timber. Birch, Oak, Sugar tree, &c. Oct. 21<sup>st</sup>. 1804.
- 
- North Between Sec. 20. & 21. J. 1. R. 3. J.  
16. 00 A Brook 20 links wide, Course W.  
33. 00 A Drain 10 links wide, Course S. W.  
34. 70 A Birch 14 in. diam.  
40. 00 Set Qr. Sec. Post where a Gum 19, in. diam. bears S. 2.  
E. 40 links, & W. Oak 14 in. diam. bears N. 15. E. 41. links  
63. 72 A Birch 14 in. diam.  
78. 50 A Brook 30 links wide, Course W.

T. N. 1. S. R. N. 3. W. 2<sup>nd</sup>. Mer.

50. 11	Get Post Corner of Sec? 16. 17. 20. 21. where a Beech 12 in? diam? bears G. 37. W. 13. links. E. 12 in? diam? bears N. 27 E. 26. links. Land hilly thin Soil. Timber, Beech, Oak, &c, many others.
West	A Standant line between Sec? 20. & 29. T. 1. R. 3. G.
4. 52	A Run 4 links wide, Course & C
30. 00	Timber all killed by fire.
34. 00	A Run 5 links wide, Course & C
76. 20	A Break 30. links wide, Course & C
79. 60	Intersected A. & S. line 4. links S. of Post Corner of Sec? 19. 20. 29. 30. Land hilly Soil midling Timber, Beech, Oak, &c.
	Corrects the line between Sec? 20. & 29. T. 1. R. 3. G. Get half Sec. post where a Gum 20, in? diam? bears N. 65. E. 27, links. E. 14 in? diam? bears N. 76. W. 27, links
North	Between Sec? 19. & 20. T. 1. R. 3. G.
16. 00	A Break 25 links wide, Course & C
11. 50	A B. Oak 20 in? diam?
41. 04	Get Quarter Sec post. where a B. Oak 24, in? diam? bears N. 87. W. 15, links a Gum 16, in? diam? G. 47. E. 29, links
43. 53	A W. Oak 14 in? diam?
49. 50	A Run 4 links wide, Course W?
50. 00	Get Post Corner of Sec? 17. 18. 19. 20. where a B. Oak 20, in? diam? bears G. 18. E. 32, links. N. 20, in? diam? bears N. 55. W. 22, links. Beech & Oak hill land midling Soil.
West.	Between Sec? 18. & 19. T. 1. R. N. 3. G.
40. 00	Put half Sec posts where a Beech 12, in? diam? bears G. 26. W. 24, links. E. 10, in? diam? bears N. 28. E. 16, links
46. 00	A Break 20 links wide, Course & C
72. 10	A Break 20 links wide, Course & C
50. 14	Intersected Range line 29, links N. of Post.



T. A. R. No. 3. W. 2<sup>nd</sup> Mer.

in 4<sup>th</sup> Range. Get Post Corner of Sec. 18. 19. T. 1. R. 3. G.  
where a Birch 16, in? diam. bears N. 71. W. 52, links  
D<sup>o</sup> 14, in? diam. bears S. 74. E. 11, links - Birch hill land

North Between Sec. 17. & 18. T. 1. R. 3. G.  
24. 00 A Creek 40 links wide, course N. 60. W. Birch hill land  
33. 00 Birch bottom.  
37. 51 A M. Oak 18 in? diam.  
40. 00 Get Quarter Sec. post where a M. Oak, 22, in? diam. bears  
S. 7. links. D<sup>o</sup> 16 in? diam. bears N. 46. E. 11, links.  
61. 16 A M. Oak 12 in? diam.  
80. 00 Get Post Corner of Sec. 7. 8. 17. 18. T. 1. R. 3. G. where  
a Birch 18, in? diam. bears S. 23. E. 18 links. D<sup>o</sup> 14 in?  
diam. bears N. 83. W. 28, links Birch hill land  
Timber, Birch, & Oak.

East A Random line between Sec. 13. & 24. T. 1. R. 3. G.  
35. 00 Poor hill land.  
79. 75 Intersected Range line at Post. Corner of Sec. 13. & 24.  
T. 1. R. 3. G. Good Birch land.

Get half Sec post between 13. & 24 T. 1. R. 3. G. where  
a Birch 26, in? diam. bears S. 49. E. 5, links D<sup>o</sup> 7, in?  
diam. bears N. 3. E. 15, links.

West A Random line between Sec. 14. & 23. T. 1. R. 3. G.  
15. 00 Strip Points of hills. A Birch 60 links wide, course N. 6.  
33. 50 North Bend in the above Birch.  
40. 00 Bottom land. good soil.  
54. 00 Rising strip hill to top.  
80. 00 Intersected N. & S. line 42 links N. of post  
Thin soil of hill land.

Corrected the line between Sec. 14 & 23. T. 1. R. 3. G.  
Get half Sec post where an Elm 26 in? diam. bears  
S. 75. W. 16, links A B. Walnut 10 in? diam. N. 13. E. 19, links



T<sup>o</sup> 1 S. No 3. W 2<sup>nd</sup> Mer

East	A Random line between Sec <sup>s</sup> 15, & 22. T. 1. N. 3. G.
75. 00	A Brook 14 links wide, Course N. 20 E.
79. 96	Intersected A. & G. line 14 links E. of Post. Good soil of hill land, Timber, Oak, Birch &c.
	Connected the line between Sec <sup>s</sup> 15 & 22. T. 1. N. 3. G. Put half Sec. post where a Birch 16 in <sup>d</sup> diam <sup>r</sup> . bears G. 28, W. 16 links & Poplar 28 in <sup>d</sup> diam <sup>r</sup> . N. 28, E. 13, 16
West	A Random line between Sec <sup>s</sup> 16, & 21. T. 1. N. 3. G.
41. 00	A Brook 14 links wide, Course N. 80 W.
72. 00	A Brook 14 links wide, Course G. 80. W.
81. 65	Intersected A. & G. line 9 links G. of Post. - Midling Soil of hill land. Timber, Birch, Oak &c. Oct. 22 <sup>nd</sup> 18. 64
	Connected the line between Sec <sup>s</sup> 16 & 21. T. 1. N. 3. G. Put half Sec. post where a Maple 17 in <sup>d</sup> diam <sup>r</sup> . bears N. 17. E. 15. links, a B. Oak 16 in <sup>d</sup> diam <sup>r</sup> . bears G. 40 W. 53.
West	A Random line between Sec <sup>s</sup> 17, & 20. T. 1. N. 3. G.
55. 00	A Brook 30 links wide, Course N. W. bottom good soil.
79. 30	Intersecting A. & G. line 93 links A. of Post; hill land midling quality - Timber, Birch, & Oak. &c.
	Connected the line between Sec <sup>s</sup> 17 & 20. T. 1. G. N. 3. W. Put half Sec. post where a Maple 17 in <sup>d</sup> diam <sup>r</sup> . bears G. 12. E. 8. links. a Gum 36 in <sup>d</sup> diam <sup>r</sup> . bears N. 30. E. 9. links
North	Between Sec <sup>s</sup> 13, & 14. T. 1. S. N. 1. W.
16. 00	A Brook 50 links wide, Course N. E.
17. 50	A Brook 50 links wide, Course W.
25. 00	Brook 100 links wide, Course W.
40. 00	Set off Sec. post where a Birch 16 in <sup>d</sup> diam <sup>r</sup> . bears G. 67, W. 17 links. S. 16 in <sup>d</sup> diam <sup>r</sup> . bears G. 41. E. 25 links
54. 40	A Sugar tree 14 in <sup>d</sup> diam <sup>r</sup> .
75. 82	A Birch 18 in <sup>d</sup> diam <sup>r</sup> .

80. 00 Set post corner of Sec<sup>s</sup> 11, 12, 13, 14. T. 1. S. No 3. W. where a  
Beech 12 in<sup>d</sup> diam<sup>r</sup> bears S. 66. E. 15. links & 17. in<sup>d</sup> diam<sup>r</sup>  
bears N. 45. W. 23. links. Tree p rich hill land - Beech bottom

North Between Sec<sup>s</sup> 14 & 15. T. 1. S. No 3. W.

3. 60 A Brook 12 links wide, Course N. 20. E.

22, 24 A Beech 12 in<sup>d</sup> diam<sup>r</sup>

32, 13 A Beech 14 in<sup>d</sup> diam<sup>r</sup>

40. 00 Set Quarter Sec post where a W. Ash 16 in<sup>d</sup> diam<sup>r</sup> bears  
S. 62. W. 12 links. A Beech 14 in<sup>d</sup> diam<sup>r</sup> bears N. 17. E. 13 links

71 10 A Brook 120 links wide, Course N. W.

50. 00 Set Post corner 11. 12. 14 & 15, T. 1, S. No 3, W. where a Sugar tree  
12 in<sup>d</sup> diam<sup>r</sup> bears N. 44. W. 30. links. A Beech 22 in<sup>d</sup> diam<sup>r</sup>  
bears S. 63 E. 11 links. Small Beech land - good soil -

East A Random line between Sec<sup>s</sup> 11 & 14. T. 1. S. No 3. W.

6. 00 A Brook 140 links wide, Course S. 15. E. Beech bottom.

24. 60 Same Brook 160 links wide, Course N. 20. W. Corner points of hills

50. 10 A Brook 12 links wide, Course S. W.

81. 14 Intersected N. & S line 14 links S. of post. First rate  
hill land Timber. Beech, Sugar tree, Ash, etc.

Corrected the line between 11 & 14. T. 1. S. No 3. W.

Put half Sec. post where a Beech 22 in<sup>d</sup> diam<sup>r</sup> bears  
N. 69. W. 8. links & 7. in<sup>d</sup> diam<sup>r</sup> bears S. 80. E. 16. links

East A Random line between Sec<sup>s</sup> 12 & 13. T. 1. S. No 3. W.

15. 50 A Brook 25 links wide, Course S.

50. 00 A Drain 8 links wide, Course S.

81. 34 Intersected range line 30 links N. of post corner to Sec<sup>s</sup>  
12 & 13. T. 1. S. No 3. W. This wide hilly land,  
meeting Soil, Timber, Beech, & Oak, &c.

Corrected the line between Sec<sup>s</sup> 12 & 13. T. 1. S. No 3. W.

Set half Sec. post where a Beech 16 in<sup>d</sup> diam<sup>r</sup> bears S.  
22. E. 9 links. & 22 in<sup>d</sup> diam<sup>r</sup> bears N. 31. E. 25. links.

S. A. I. R. A. 3. W. L. <sup>na</sup> Mr.

North	Between Sec. 15. & 16. T. 1. S. R. 3. W.
11. 55	A Gum 17 in? diam?
40. 00	Get Quarter Sec. east where a Birch 7 in? diam? bears S. 56. E. 19. links L <sup>o</sup> 13 in? diam? bears N. 23. links
48. 00	Midling Soil of hill land. - Birch & Oak Timber.
50. 00	Get post Corner of Sec. 9. 10. 15. 16. T. 1. S. R. 3. W. where a B. Oak 18 in? diam? bears West 57. links. - A B. 28 in? diam? bears E. 31. links, - Timber killed by fire.
West	Between Sec. 10. & 15. T. 1. S. R. A. 3. W. 2 <sup>nd</sup> Mer
2. 50	A Creek 150 links wide course N. Creek bottom.
44. 50	Run Steep hill to run, 6 links course N.E.
50. 40	Intersected A. & G. line 20. links N. of Post. Through hill land, Timber-killed by fire-tiers. &c
	Corrected the line between 16. & 15. T. 1. S. R. 3. W. Get half Sec. post where a Birch 10 in? diam? bears S. 73. E. 18. links. L <sup>o</sup> 10 in? diam? bears N. 70. W. 5. links
North	Between Sec. 16. & 17. T. 1. S. R. 3. W.
18. 00	Good hill land Birch timber.
40. 00	Get Quarter Sec. post where a Poplar 46 in? diam? bears N. 71. W. 32. links. A B. Oak. 24 in? diam? bears N. 23 E. 47.
60. 00	Run Steep ledge of Rocks.
80. 00	Get Post Corner of Sec. 16. & 17. T. 1. S. R. 3. E. where a Birch 14 in? diam? bears N. 62. E. 5. links. L <sup>o</sup> 8 in? diam? bears N. 18. W. 8. links. Steep, Stony, Barren, hills. Poor. Oct. 23 <sup>rd</sup> 18. 04.
West	A Random line between Sec. 9. & 16. T. 1. S. R. 3. W.
30 00	Timber killed by fire.
35. 00	A Train 7. links wide, course N.W.
45. 00	A Train 6. links wide, course N.
80. 50	Intersected A. & G. line 12 links N. of Post. Steep - Post hills - Birch & Oak, timber. - - -
West	A Random line between 8. & 17. T. 1. S. R. 3. W.

79. 60 A Brook 14 links wide Course. I. W.  
 50. 66 Intersected at 4<sup>th</sup> G. line 50 links N. of Post Corner of  
 Rec? 7-8-17-18. T. A. I. R. A. 3. W.  
 This mile from Sharp hills, Junken, Berch.

West Between 7 & 18. T. A. I. R. A. 3. W.  
 46. 66 Set Quarter Rec. post where a W. Oak 10 in? diam?  
 bears at 78. W. 3 links. S<sup>o</sup> 10 in? diam? bears I. 31. E. 22 links.  
 81. 20 Intersected Range line 57 links N. of Post in 4<sup>th</sup> Range.  
 Set Post Corner of Rec? 7-18. T. A. I. R. A. 3. W. 2<sup>nd</sup>. Mer.  
 where a W. Oak 12 in? diam? bears at 31. W. 15 links.  
 A Birch 4 in? diam? bears S. 58. E. 6 links.  
 Rough hill land. Birch & Oak timber.

Corrected the line between 8 & 17. T. A. I. R. A. 3. W.  
 Put half the post where a Gum 14 in? diam? bears I.  
 3, W. 15 links. S<sup>o</sup> 10 in? diam? bears at 5. E. 3 links. dist.

Corrected the line between 9 & 16. T. A. I. R. A. 3. W.  
 Put half the post where a Birch 6 in? diam? bears I.  
 89. E. 21 links. S<sup>o</sup> 16 in? diam? bears at 23. W. 14 links

North Between Rec? 7 & 8. T. A. I. R. A. 3. W.  
 46. 66 Set Quarter Rec. post where a Birch 16 in? diam? bears at  
 68. W. 18 links. A Logwood 8 in? diam? bears at 22. E. 28 links.  
 46. 66 An Elm 12 in? diam?  
 56. 81 A Hickory 16 in? diam?  
 80. 60 Set post Corner of Rec? 5-6-7-8. T. A. I. R. A. 3. W.  
 where a Birch 14 in? diam? bears at 17. W. 26 links. S<sup>o</sup>  
 15 in? diam? bears I. 46. E. 52 links. Rough hill  
 land - Birch, & Oak, timber. —

West Between Rec? 6 & 7. T. A. I. R. A. 3. W.  
 5. 63 A W. Oak 22 in? diam?  
 24. 60 A Small Drain, Course at W.  
 46. 60 Set half Rec. post where a W. Oak 9 in? diam? bears.



T. No 1. S. No. No 3. W. 2<sup>nd</sup>. Mer.

80. 00	N. 68. W. 17. links. L <sup>o</sup> 17. in <sup>d</sup> diam <sup>r</sup> . bears G. 68. E. 48. Intersected A. & G. line. 45 links A. of post in the 1 <sup>st</sup> . Range. here set Post corner of Sec <sup>s</sup> 6. & 7. T. 1. S. No. No 3. W. where a Birch 16 in <sup>d</sup> diam <sup>r</sup> . bears G. 38. E. 31. links, A Sugar 10. in <sup>d</sup> diam <sup>r</sup> . bears N. 8. W. 18. links, Gump, Honey hills. Timber - Birch & Oak.
North	Between Sec <sup>s</sup> 8. & 9. T. 1. S. No. No 3. W.
5. 50	A Brook 7. links wide, course N. E.
11. 57.	A B. Oak 20 in <sup>d</sup> diam <sup>r</sup>
36. 00	A Small Drain, course E.
37. 03	A Birch 12 in <sup>d</sup> diam <sup>r</sup>
40. 01	Set off Sec. post where a Birch 12. in <sup>d</sup> diam <sup>r</sup> . bears N. 14. E. 5. links. A Sugar 11 in <sup>d</sup> diam <sup>r</sup> . bears G. 4. W. 19. links
55. 36	A Gum 12 in <sup>d</sup> diam <sup>r</sup>
60. 00	Set Post corner of Sec <sup>s</sup> 8. 9. 4. 5. T. 1. S. No. No 3. W. where a Hickory 10, in <sup>d</sup> diam <sup>r</sup> . bears G. 71. W. 7. 1/2 links Sugar 17. in <sup>d</sup> diam <sup>r</sup> . bears. N. 18. W. 44. links. Rough hill land. Timber, Birch, Oak, &c.
West	Between Sec <sup>s</sup> 5 & 8. T. 1. S. No. No 3. W.
80. 62	Intersected A. & G. line 45 links N. of Post corner of Sec <sup>s</sup> 5. 6. 7. 8. Gump hills. midling soil. timber, Oak, Birch, &c.
	Corrected the line between Sec <sup>s</sup> 5. & 8. T. 1. S. No. No 3. W. Set half Sec. post where a Birch 12 in <sup>d</sup> diam <sup>r</sup> . bears N. 35. E. 19, links. W. Oak 12 in <sup>d</sup> diam <sup>r</sup> . bears G. 10. E. 14, links
North	Between Sec <sup>s</sup> 5. & 6. T. 1. S. No. No 3. W. 2 <sup>nd</sup> . Mer.
7. 00	A Small Drain, course W.
29. 47	A W. Oak 11. in <sup>d</sup> diam <sup>r</sup>
40. 00	Set off Sec. Post where a Poplar 40 in <sup>d</sup> diam <sup>r</sup> . bears N. 26. W. 23. links. A B. Oak. 40 in <sup>d</sup> diam <sup>r</sup> . G. 12. E. 48. links
49. 50	A Small Drain, course N. W.
49. 15	A Sugar tree 12, in <sup>d</sup> diam <sup>r</sup>
80. 00	To Base line Post Set by Mr. Buckingham.



T. A. G. R. & B. W. 2<sup>nd</sup>. Mer.

	Rough hill. land. poor soil. Timber, Oak, Birch &c.
North	Between Secs 4. & 5. T. A. G. R. & B. W.
10. 61	A B. Walnut 22 in? diam?
24. 64	A Birch 24 in? diam?
40. 66	Get fr. Sec post where a Gum 17. in? diam? bears G. 30 W. 1. link. Sugar 10 in? diam? bears E. 76. E. 4. links
55. 61	A creek 150 links wide, course E. W. Birch hills Timber Birch, Sugar tree &c.
68. 34	A Gum 18 in? diam?
80. 61	Intersecting Baseline at Post. bearings taken. Low Birch bottom
North	Between Secs 9. & 10. T. A. G. R. & B. W. 2 <sup>nd</sup> . Mer.
3. 67	A Sugar tree. 12 in? diam?
21. 00	A Gum 6 links wide, course N. E.
40. 66	Get fr. Sec. Post where a Birch 12 in? diam? bears G. 40 W. 33 links. D. 17. in? diam? bears E. 76. E. 18. links.
58. 63	A Birch 18 in? diam?
60. 60	Timber killed by fire, many briars.
75. 56	A creek 140 links wide, course E. W.
79. 60	Same creek 140 links wide, course N. E.
80. 60	Get Post corner of Secs 3. 4. 9. 10. in S. E. creek where a Birch 8 in? diam? bears E. 11. W. 26. links. D. 8 in? diam? bears E. 28. W. 26. links. Birch bottom good soil. Quit for the day Oct. 24 <sup>th</sup> 1804.
West	Between Secs 4. & 9. T. A. G. R. & B. W.
17. 66	Followed up a Gum. bottom land.
86. 62	Intersected A. & G. line 56 links E. of Post. Rough hill land nothing soil. Timber, Oak, Birch, &c. Birch, under.
North	Between Secs 3. & 4. T. A. G. R. & B. W.
66. 56	Out of creek
22. 66	A creek 140 links wide, course W.
29. 26	A Birch 24 in? diam?
33. 66	A Gum 16 links wide, course G. W. Birch bottom good soil.

T. A. G. R. N. 3. W. 2<sup>nd</sup>. Mer.

46. 00 Set Gr. Gr. post where a W. Ash 26 in<sup>2</sup> diam<sup>r</sup> bears  
S. 59. W. 18 links A Sugar 12 in<sup>2</sup> diam<sup>r</sup> bears N. 9 E. 22 links  
42. 57 A W. Ash 26 in<sup>2</sup> diam<sup>r</sup>  
50. 00 Intersected Base line bearings taken. Good Soil.  
Hill land. Timber, Birch, Sugar tree, Ash, &c

- North Between Tr<sup>s</sup> 10. 11. T. A. G. R. N. 3. W.  
11. 52 A Poplar 40 in<sup>2</sup> diam<sup>r</sup>  
14. 00 Large Brook 60 links to the West.  
17. 93 A Birch 22 in<sup>2</sup> diam<sup>r</sup>  
46. 00 Set Quarter Gr. post where a Swamp W. Oak: 36 in<sup>2</sup>  
diam<sup>r</sup> bears. G. 20. E. 30. links. A Maple 16 in<sup>2</sup> N. 56. W. 23.  
59. 00 A Brook 6 links wide, course S. W. Ten links bottom Swampy &c.  
67. 79 A Sugar tree 20 in<sup>2</sup> diam<sup>r</sup>  
77. 00 A Brook 6 links wide, course G. 10. W.  
80. 00 Set post corner of Tr<sup>s</sup> 2. 3. 10. 11. T. A. G. R. 3. W.  
where a Birch 9, in<sup>2</sup> diam<sup>r</sup> bears N. 72. W. 16, links. S. 8 in<sup>2</sup>  
diam<sup>r</sup> bears G. 64. E. 36. links - Level land.

- North Between Tr<sup>s</sup> 11. & 12. T. A. G. R. N. 3. W. 2<sup>nd</sup>. Mer.  
10. 44 A Birch 17. in<sup>2</sup> diam<sup>r</sup>  
19. 48 A Birch 18 in<sup>2</sup> diam<sup>r</sup>  
40. 00 Set Quarter Gr. post where a Sugar tree 16 in<sup>2</sup> diam<sup>r</sup>  
bears G. 67. E. 9. links S. 12 in<sup>2</sup> diam<sup>r</sup> bears N. 11. E. 13. links  
46. 32 A Birch 8 in<sup>2</sup> diam<sup>r</sup>  
76. 32 A Birch 10 in<sup>2</sup> diam<sup>r</sup>  
80. 00 Put post corner of Tr<sup>s</sup> 1. & 2. 11. & 12. T. A. G. R. 3 W.  
where a Sugar tree 14 in<sup>2</sup> diam<sup>r</sup> bears G. 13. W. 25. links.  
A Birch 24 in<sup>2</sup> diam<sup>r</sup> bears N. 50. E. 47. links  
Good soil of Birch hill land.

- North Between Tr<sup>s</sup> 1. & 2. T. A. G. R. N. 3. W.  
13. 34 A Birch 14 in<sup>2</sup> diam<sup>r</sup>  
21. 50 A Sugar 12 in<sup>2</sup> diam<sup>r</sup>  
46. 00 Set Gr. Gr. post where a Sugar 12 in<sup>2</sup> diam<sup>r</sup> bears N.  
E. 15 links. S. 14 in<sup>2</sup> diam<sup>r</sup> bears G. 58. W. 13. links

56. 09 A W. Oak 22 in? diam?  
80. 00 Intersected Base line at Post-bearings taken. Good Soil of hill land. Timber, Birch, Sugar tree. &c.

Corrected the line between 1. & 12. J. 1. J. B. 3. W.  
Put half the post where a Sugar 11 in? diam? bears G. 33.  
E. 12. links. & Mulberry, 12 in? diam? bears E. 10. E. 11. links.

\* For line between Sec. 1 & 12 See next page

Next Between Sec? 2. & 11. J. A. J. B. & 3. W.  
20 00 A Birch 16 links wide, course G. W.  
58. 50 at Spring Run, course J. W. Birch hill land.  
75. 70 at Run 6 links wide, course G.  
80. 20 Intersected at G. line. 20 links N. of Post.  
Level land, Birch timber.

Corrected the line between Sec? 2. & 11. J. A. J. B. & 3. W.  
Put half Sec. post where a Birch 10 in? diam? bears G. 64.  
E. 17. links. S. 10 in? diam? bears E. 30. W. 17. links.

North Between Sec? 2. & 3. J. 1. J. B. & 3. W.  
5. 00 A Birch 12 in? diam?  
14. 00 A Birch 12 in? diam?  
40. 00 Set Gr. Sec. Post where a Birch 10 in? diam? bears E. 55.  
E. 35. links. S. 24 in? diam? bears G. 40. W. 34. links.  
45. 00 Birch bottom. Good soil.  
65. 53 A Birch 10 in? diam?  
80. 00 Intersected Base line at Post bearings. Good hill land, Birch &c.

East Between Sec? 3. & 10 J. A. J. B. & 3. West.  
32. 50 A Run 6 links wide, course G. 200 links N. of Large corner.  
80. 30 Intersects at G. line 97 links S. of Post corner of Sec?  
2. 3. 10. 11. J. A. J. B. 1. W. Low land. Birch timber.

Corrected the line between Sec? 3 & 10. J. A. J. B. 3. W.  
Put half Sec post where a Sugar 9 in? diam? bears W. 28.  
links S. 7 in? diam? bears G. 4. W. 10. links Oct 25<sup>th</sup> 1804.

T. A. G. R. No 3. W. 2<sup>nd</sup> Mer.

corrected the line between Sec. 4 & 9. T. A. G. R. No 3. W.  
 Put half Sec post where a Sugar tree 14 in diamr bears  
 S. 29. N. 52 links. A W. Oak 14 in diamr S 22. E. 33. links  
 Surveyed by Levi Barker.

I certify that the foregoing transcript of the field  
 notes of Township No 1 South of Range No 8  
 West 2<sup>nd</sup> Mer. Indiana, has been compared with  
 the Original notes in this Office, and found to  
 be correct.

Surveyor General's Office  
 Cincinnati, Aug 9 1839

\*

East On a Random between Sec. 1 & 12, T. 1 S. R. 3 W  
 80.33 Intersected the Range line 10 links South of the post  
 Cor. of Sec. 1 & 12, T. 1 S. R. 3 W - Good soil of hill (land)  
 timber Beech, Oak, Sugar tree &c.

West Corrected the line between Sec. 1 & 12, T. 1 S. R. 3 W  
 40.16 1/2 Set of Sec. post at avg. dist. on true line from which  
 a Sugar tree 11 in diamr bears S 33 E 12 lks. dist. of  
 a Mulberry 12 " " " N 10 E 11 " "  
 80.33 Section Corner.